

(Purchasing No. 15000046)

EM SUBMISSION NO.: EME 6092014PRESENTED: 11-13-14ADOPTED: 11-13-14

BY THE EMERGENCY MANAGER:

**RESOLUTION TO MCNAUGHTON-MCKAY ELECTRIC
FOR VARIABLE FREQUENCY DRIVES**

BY THE EMERGENCY MANAGER

RESOLUTION

The Department of Purchases & Supplies has solicited bids for variable frequency drives as requested by the Water Treatment Plant; and


McNaughton-McKay Electric, 1011 E. Fifth St., Flint, MI was the sole bidder from three solicitations for said requirements. Funding for said services will come from the following account: 591-545.300-977.000; and

IT IS RESOLVED, that the Department of Purchases and Supplies, upon the Emergency Manager's approval, is hereby authorized to issue a purchase order to McNaughton-McKay Electric for variable frequency drives in an amount not to exceed \$33,691.00. (Water Fund)


APPROVED-PURCHASING DEPT:

APPROVED AS TO FINANCE:


 Derrick Jones, Purchasing Manager


 for Gerald Ambrose, Finance Director

APPROVED AS TO FORM:


 Peter M. Bade, City Attorney
EM DISPOSITION:
 ENACT ☒ REFER TO COUNCIL _____ FAIL _____


 Darnell Earley, Emergency Manager
DATED: 11-13-14

RESOLUTION STAFF REVIEW

October 31, 2014

Agenda Item Title: Variable Frequency Drives

Prepared By: Brent Wright, WP Supervisor

Background/Summary of Proposed Action:

WP relies on variable frequency drives to vary the pumping capabilities of Pump#5 & #6 low service pumps located in the PS4 building. The current drives are old, obsolete and in urgent need of replacement. Without new replacement equipment WP would see an decrease in reliability and an increase in pumping costs.

Financial Implications:

Please issue a purchase order in the approved FY2015 budgeted amount of \$33,691.00 using account number 591-545.300-977.000 (\$33,691.00).

Budgeted Expenditure: Yes : X No: Please explain if no:


Account No.: 591-545.300-977.000 - \$33,691.00

Pre-encumbered: Yes: X No: Requisition: 140001069

Other Implications (i.e., collective bargaining): None

Staff Recommendation: Approve

Staff Person:


(Department Head or Approved Staff)