

# MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY DRINKING WATER AND ENVIRONMENTAL HEALTH DIVISION

# Complete Distribution System Materials Inventory (CDSMI) Summary

The Michigan Safe Drinking Water Act, 1976 PA 399, as amended, requires that water supplies develop and maintain a CDSMI. Pursuant to Rule 325.11604(c)(ii), the CDSMI must be submitted to the Michigan Department of Environment, Great Lakes, and Energy (EGLE). Federal rule 40 CFR § Part 141.84(a) also requires submission of an inventory by October 16, 2024. To meet both state and federal requirements, the CDSMI must be submitted to EGLE by October 16, 2024.

Complete this form if the water supply meets the following definition for service line<sup>1</sup>. Refer to page 6 for service line definition. Note: Manufactured Housing Community (MHC) connections to units (risers) are considered service lines, so MHCs should fill out this form.

Water Supply: 02310 - CITY of FILLIPWSID2: MIDW2310 County: (senesce

#### PART I: INVENTORY SUMMARY

Enter the number of service lines in each material category. Carefully review each category description below as these categories differ from those requested in the Preliminary DSMi. If you are using the Michigan service line inventory template, the service line material classification is found in the column titled "Federal Classification".

Material Classification	Definition	Number of Service Lines
Lead	Any portion of the service line is known to be made of lead.	122
Galvanized Previously Connected to Lead (GPCL)	The service line is not made of lead, but a portion is galvanized, and the system is unable to demonstrate that the galvanized line was never downstream of a lead service line.	120
Non-Lead	All portions of the service line are known NOT to be lead or GPCL through an evidence-based record, method, or technique.  Materials may include:  Copper Plastic (PEX, HDPE, PVC, CPVC, etc.) Galvanized that can be demonstrated were never downstream of lead Other (brass, etc.) Unknown Non-Lead (material not known but is known not to contain lead).	31,914
Lead Status Unknown	The service line material is not known to be lead or GPCL. For the entire service line or a portion of it (in cases of split ownership), there is not enough evidence to support material classification.	3283
	rvice Lines: This is the sum of the cells in the right column and equal service lines in the system.	36,039

Michigan.gov/EGLE

Page 1 of 6

EQP5863 (Rev. 03/2025)

### PART II: SERVICE LINE MATERIAL INVESTIGATION

1.		licate how all applicable Minimum Service Line Materials Verification (MSLMV) steps were mpleted:
	a.	How were service lines of "known" material(s) identified? (Select all that apply.)  □ Existing records after 1989  □ Tap cards □ As-builts □ Permits □ Meter replacements ☒ Work orders □ Other □ □ Ordinances or controls (must cover public and private materials) □ Local ordinance/law ☑ Plumbing code □ Approved/adopted construction specifications ☒ Other □ Line Ordinance □ Supply had no existing records after 1989 or ordinances/controls
	b.	Were any service lines of "unknown" material identified (e.g., did not meet criteria of a "known" service line in question 1.a.)?  Yes  No, supply had no "unknown" service lines. Skip to question 3.
	C.	Were physical verifications completed at randomly selected "unknown" service lines?  ☑ Yes ☐ No
	d.	How did the supply physically verify the randomly selected "unknown" service lines?  ☐ Customer Self Identification ☐ Inspection of Interior Portion of Building ☐ Inspection of Curb Stop to Building ☐ Inspection of Main to Curb Stop ☐ Inspection of Lead connector (gooseneck/pigtail) ☐ Inspection of Riser for Manufactured Home ☐ Televising Inspection ☐ Other
2.	Die	d the supply evaluate the data collected from the MSLMV process?  Yes  No
	a.	Describe the level of reliability of the pre-verification records when compared to the field-verified findings collected during the MSLMV.  Reliable  Somewhat reliable  Not reliable or pre-verification records do not exist

b	Was the supply able to utilize reliable records to extrapolate service line materials for other "unknown" service lines in the system?				
	Yes - Records were "reliable" and extrapolated to all "unknowns"				
Partially - Some records were reliable and used for extrapolation, but others were unreliable and additional verification was/is necessary					
	☐ No - Records were "not reliable" and additional verification was/is necessary				
C.	If applicable, what additional methods were used to extrapolate or identify service line materials. (Select all that apply.)				
	☐ Era of Housing Construction ☐ Physical verification				
	Eras of Watermain Installation   Televising Inspection				
	Relationship of adjacent service line material Predictive Modeling (List below)				
	☐ Neighboring infrastructure/Material ☐ Other (List below)				
	► Lead & Copper Water Samples-Sequential				
	If PREDICTIVE MODELING, briefly list the model, program, and/or vendor:				
	If OTHER, list other methods:				
3. \	Vhat other information can you share about your CDSMI?				
PAF	RT III: ONGOING ACTIVITIES TO IDENTIFY/RECORD SERVICE LINE MATERIAL DURING NORMAL OPERATIONS				
	Ouring which normal operating activities are you collecting information on service line material?  Select all that apply.)				
	Service line repair or replacement				
	If OTHER, explain:				
	Do you have standard operating procedures to collect service line material information during normal operations, not including specific service line material investigations?   Yes				
	□ No				
	observations: Record information on plumbing type & St materia				
	observations: Record information on plumbing type ? 3 materia				

PART IV: GENERAL INFORMATION
1. Who owns the entire service line in your system? (Select one ownership type.)
☐ Water system ☐ Customer ☐ Both (ownership is split)
2. Do you have lead goosenecks, pigtails, or connectors in your system?
Yes Presumed Yes No Unknown
3. If applicable, describe when (provide years) lead service lines were generally installed in your system?
According to City of flort records (tap cards) Lead lines were installed from the early 1900> - 1940's
4. If applicable, when were lead service lines banned in your system? Reference the local ordinance that banned the use of lead in your system.
5. If applicable, what are your plans to identify all services lines that are classified as unknown?
☐ Identification during normal operating activities. ☐ Use a predictive model.
☑ Physical verification methods ☑ Service line replacements ☑ Other
6. If you prioritized locations for additional service line materials investigations, beyond the MSLMV, what was your focus (e.g., did you consider environmental justice and/or sensitive populations, did you use predictive modeling, and/or did you target areas with high number of unknowns)? (Select all that apply.)
☐ Environmental Justice ☐ Sensitive populations
☐ High number of unknowns ☐ Schools and Daycare facilities
Predictive modeling Other
PART V: PUBLIC ACCESSIBILITY AND SERVICE LINE MATERIALS NOTIFICATION
Service line inventories must be publicly accessible and include an address or unique identifier for each service line. Publicly accessible inventories need to be updated at the same frequency EGLE is updated.
1. How are you making your inventory publicly accessible? (Select all that apply.)
☐ Interactive online map ☐ Printed tabular data
☐ Static online map ☐ Information on water utility mailings or newsletters
Online spreadsheet
☐ Printed service line map ☐ Other
2. If your inventory is available online, provide the website. <b>Note:</b> Water systems serving greater than 50,000 persons must make the inventory available online.
Website: www.cityofflint.com/progress-report-on-flint-water/
3. Have you developed a process to notify owners/occupants at premises served by a lead or GPCL service line within 30 days of determining the service line contains lead or GPCL (this is required per R 325.11604(c)(v))?
▼ Yes
☐ No (if NO, contact the Lead and Copper Unit staff)
Michigan.gov/EGLE Page 4 of 6 EQP5863 (Rev. 03/2025)

#### PART VI. SIGNATURE AND CERTIFICATION

Beyond your service lines, do other documents previously submitted to EGLE, including the General Plan, Reliability Study, issued permits, and/or Asset Management Plan, in combination, properly characterize the materials referenced in CFR 141.42 in the remainder of your current distribution system?

A plantage in	
Yes, my general plan, reliability study, issued characterize the rest of my current distribution sys	stem.
No (if NO, contact your district engineer to upo	date your documentation) water Archite
No (if NO, contact your district engineer to upon System Contact Person:  Primary Telephone: 810 766-7070-348 Email	vell Title: Sever System Systems s
Primary Telephone: 810 766-7077-34/V Email	Address: Mithell Congellinticon
Person Preparing Inventory (if different then above):	•
Title/Affiliation: Primary Telephone: _	Email Address:
Certification of Complete Distribution System Mater I certify that I have reviewed available documentation redistribution system and the information herein is accurate and information.	elated to the materials in this water supply's
Detailed line-by-line inventory is attached.	
Ent Metertes	3-31-25
Signature	Date
Entrice Aitchell Print Name	Jewa System Supervison/
Print Name	Title WATER Acci, For

Submit your completed document and the attached line-by-line inventory to EGLE via your Michigan Environmental Health and Drinking Water Information System (MiEHDWIS) account, or via email to your EGLE district office email address no later than October 16, 2024.

People with disabilities may request this material in an alternate format by emailing <u>EGLE-Accessibility@Michigan.gov</u> or call 800-662-9278.

EGLE does not discriminate on the basis of race, sex, religion, age, national origin, color, marital status, disability, political beliefs, height, weight, genetic information, or sexual orientation in the administration of any of its programs or activities, and prohibits intimidation and retaliation, as required by applicable laws and regulations.

This form and its contents are subject to the Freedom of Information Act and may be released to the public.

## **CDSMI SUMMARY FORM INSTRUCTIONS**

This page is provided as a guide to assist with questions that may be asked when completing the summary form. Because water supplies differ significantly in terms of service line materials and records, many questions require a narrative response to allow flexibility. Please provide thorough answers that provide meaningful information about the status of your water supply's service line inventory.

- 1. Service Line: The pipe from the discharge of the corporation fitting to the customer site piping or to the building plumbing at the first shut-off valve inside the building, or 18 inches inside the building, whichever is shorter.
- 2. PWSID: The Public Water System Identification (PWSID) is a combination of MI00 plus the water supply's 5-digit WSSN (e.g., if the WSSN is 01234, the PWSID is MI0001234).

## Part I: Inventory Summary

This summary table is for reporting the material category for the entire service line. Do not count service lines twice. A service line includes any section of pipe from the water main to the first shut-off valve inside the building or up to 18 inches inside the building, whichever is shorter. The number of service lines in each of the following categories need to be reported:

- Any Portion Contains Lead: Any portion of a service line that is made of lead or any lead pigtail, lead gooseneck, or other lead fitting that is connected to the service line, or both. In short, any service line that contains any lead.
- Galvanized Previously Connected to Lead (GPCL): A galvanized service line that WAS
  previously connected to a lead service line, gooseneck, or pigtail. If a galvanized line is still
  connected to lead, it is considered a lead service line and must be counted in the category
  above. Note: Under the recently promulgated federal Lead and Copper Rule Revisions,
  service lines in this category are referred to as "galvanized requiring replacement (GRR)."
- Non-Lead: Contains neither lead nor GPCL. This category may include service lines of unknown material if they are known not to contain lead or GPCL. If there is a possibility the service line contains lead or GPCL, but the material is unknown, it should be categorized as lead status unknown.
- Lead Status Unknown: The service line material is not known to be lead or GPCL and there is not enough evidence to support material classification.

All physically connected potable water services must be included in this table even if there is no current active account. The total number of service lines should be the sum of the cells in the right column and equal to the total number of service lines in the system.

# Part II: Service Line Material Investigation

Question 1 requests information about how the water supply met the service line verification requirements of the Minimum Service Line Material Verification Requirements (MSLMV). For this section, "known" and "unknown" refers to those terms as defined in the MSLMV.

Note: Manufactured Housing Communities should refer to these terms as defined in the Minimum Service Line Material Verification Requirements For Manufactured Housing Communities.

Question 2 requests information about how the water supply used information gathered during the MSLMV to further develop their inventory. Guidance for assessing the reliability of records with field-verified materials can be found at <a href="Complete Distribution System Materials Inventory">Complete Distribution System Materials Inventory</a>.

Water Supply Name:	City of Hint	Flint
PWSID:	M10002310	310

Classification	Total:
bea.	722
lon-Lead	31,914
RRIGPCL	120
ead Status	3283

1	
8	
22	
<u>.</u>	
92	
學	
\$	
2	
48	
æ	
5	
ŏ.	
-8	
8	
8.	
28	
-43	
盃	
-	
· E	
5	
Ð	
2	
돗	
ĕ	
2	
温.	
E	
co.	
23	
毒.	
2	
щ	
ਲ	
i i	
	и

- Physical address that specifies the location of the building and subsequent service line.
  - Service line material classification for each portion of the service line.
    - Vertication method for determining material classification.
- Documentation of when access was denied.

Note: Access denied documentation should be kept in the system's records and be available for EGE terriew upon request. These documents should include the date of the denial, to whom the denial was communicated, and the denial keet in writing.

	S S S S S S S S S S S S S S S S S S S		STATE OF THE STATE
Was Material Ever Previously	Connected to		20 CHOO 1893
Customer-Owned Portion (curbstop to Interfor of building)	Service Line Material Glassification		
Customer-Owned Interfor	Basis of Material Classification		
	Service Line Material Classification		
System-Owned Portion (Water Main to curbatop or water mater)	Basis of Material Classification		S I STATE I I I STATE I
	Unique ID/ Lot Number		
Addresses	ZIP		
	State		
	25		
	Street Address	a thought a	