



PUBLIC NOTICE

City of Flint
National Pollutant Discharge Elimination System
Permit No. MI0022926

The City of Flint (Flint) and the Michigan Department of Environment, Great Lakes, and Energy (EGLE), Water Resources Division (WRD) are conducting this joint public notice and publication in accordance with Rule 8 of the Part 23, Pretreatment, administrative rules promulgated pursuant to Part 31, Water Resources Protection, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended, Mich Admin Code, R 323.2308 *et seq.* (Part 23 Rules).

Flint has submitted proposed modifications to its previously approved and currently implemented Industrial Pretreatment Program (IPP) Sewer Use Ordinance found in Chapter 46, Utilities, of Flint's Code of Ordinances. EGLE has reviewed the request and determined it is a substantial program modification as defined in Section 403.18, Modification of Publicly Owned Treatment Works Pretreatment Programs, of Title 40, Protection of Environment, of the Code of Federal Regulations, and Rule 9 of the Part 23 Rules, Mich Admin Code, R 323.2309 *et seq.* The proposed modification can be viewed on the [City Charter and Code of Ordinances](#) webpage.

Comments or objections to Flint's proposed modifications to its IPP that are received within 30 days from the date this notice is published will be considered in the final decision. If no substantive comments are received, no further notice will occur, except as generally provided by Flint for the introduction of amended ordinances. Persons desiring information concerning Flint's proposed modifications to its IPP should contact:

- Pamela Willard, Environmental Quality Analyst, Lansing District Office-Water Quality Unit, WRD, at 517-243-8809 or WillardP1@Michigan.gov.
- Jeanette Best, WPC/DPW Manager, City of Flint, at 810-766-7210 or jbest@cityofflint.com.
- Tiffany Minder, Environmental Compliance Supervisor, City of Flint, at 810-766-7210 or tminder@cityofflint.com.

Requests for a hearing should be sent to the WRD's IPP Coordinator at EGLE, P.O. Box 30242, Lansing, Michigan 48909-7742. Requests for a hearing should include the reason(s) why a hearing is being requested, identity of the relevant issues, and specifically which portions of Flint's proposed modifications to its IPP that are of concern. Copies of the submittal and justifying documentation may be reviewed at the WRD, Lansing District Office, at Constitution Hall, 525 West Allegan Street, 1st Floor South, Lansing, Michigan 48933.